




THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF L-COM, INC. ANY REPRODUCTIONS IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF L-COM, INC. IS PROHIBITED.

REVISIONS			
REV	DESCRIPTION	DATE	CHANGED BY
A	RELEASED FOR PRODUCTION	11/13/01	MCCORMICK
B	ECN# 2233 ADDED COMPONENT SPECIFICATION	10/18/05	MCCORMICK
C	ECN 3167: UPDATE DWG FORMAT	1/22/08	D.GRIFFIN



RECOMMENDED
CABLE STRIPPING
DIMENSIONS

MODEL NUMBER	CABLE	DIM "A"	DIM "B"	IMPEDANCE
BAC838-58	RG58	1.38	0.18 DIA	50 Ohm
BAC838-59	RG59 & RG6	1.41	0.21 DIA	75 Ohm

NOTES:

MATERIAL:
BODY: BRASS
SHELL: DIECAST
PIN: BRASS
INSULATOR: ACETAL

FINISH:
BODY: NICKEL PLATE
SHELL: NICKEL PLATE
PIN: GOLD PLATE

ELECTRICAL:
IMPEDANCE: SEE LABEL
EACH CABLE ASSEMBLY SHALL BE SUBJECTED TO AND PASS A CONTINUITY TEST.

PACKAGING:
INDIVIDUALLY PACKAGE EACH ASSEMBLY UTILIZING APPROPRIATE SIZED BAG

APPLICATION:
SEE TABLE

RoHS Compliant ✓

UNLESS OTHERWISE SPECIFIED,
DIMENSIONS ARE IN INCHES [mm]
TOLERANCES TO BE:
.X ±.1 [2.5] ANGLES ±2°
.XX ±.01 [.25]
.XXX ±.005 [.13]
OVERALL CABLE LENGTH TOL:
≤ 60 [1524] +3 [76.2] / -0
> 60 [1524] +5% / -0%

APPROVALS	DATE
DRAWN BY MCCORMICK	11/06/01
CHECKED BY ENG	11/06/01
APPROVED BY R.CARRICK	11/06/01



CONFIGURATION DETAILS OF
UNDIMENSIONED FEATURES
MAY VARY

L-com CONNECTIVITY PRODUCTS		45 BEECHWOOD DRIVE NORTH ANDOVER, MA 01845	
CATEGORY		COAXIAL	
PRODUCT DESCRIPTION			
CONN BNC M RG58 OR RG59 TWIST ON			
SIZE	FSCM NO.	DWG. NO.	REV.
B	43321	BAC838	C
SCALE: 1:1		CAD FILE: BAC838.SLDDRW	SHEET 1 OF 1